

Carbonic anhydrase 2 Rabbit mAb [a8JC]

Cat NO.: A14023

Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB IHC	Human,Mouse,R	P00918	29kDa	Rabbit	IgG	50ul,100ul,200ul
	at					

Applications detail:

Application

WB

1:1000-2000

IHC

The optimal dilutions should be determined by the end user

_			ate:			
(:c	งทแ	10	at	Δ.		
\sim	,,,,,	чч	uι	-		

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Affinity-chromatography

Specificity:

Antibody is produced by immunizing animals with A synthesized peptide derived from human Carbonic anhydrase

Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

Tissue specificity:

Subcellular location:

Cytoplasm. Cell membrane.

Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Catalyzes the reversible hydration of carbon dioxide (PubMed:1909891, PubMed:1910042, PubMed:1336460, PubMed:8485129, PubMed:8399159, PubMed:8218160, PubMed:8262987, PubMed:8451242, PubMed:7901850, PubMed:7761440, PubMed:8639494, PubMed:9265618, PubMed:17330962, PubMed:9398308, PubMed:11327835, PubMed:12056894, PubMed:17346964, PubMed:12171926, PubMed:15453828, PubMed:16214338, PubMed:15865431, PubMed:16106378, PubMed:15300855, PubMed:15667203, PubMed:18942852, PubMed:11831900, PubMed:17251017). Can also hydrate cyanamide to urea (PubMed:10550681, PubMed:11015219). Stimulates the chloride-bicarbonate exchange activity of SLC26A6 (PubMed:15990874). Essential for bone resorption and osteoclast differentiation (PubMed:15300855). Involved in the regulation of fluid secretion into the anterior chamber of the eye. Contributes to intracellular pH regulation in the duodenal upper villous epithelium during proton-coupled peptide absorption..

Validation Data:

Carbonic anhydrase 2 Rabbit mAb [a8JC] Images



Western blot (SDS PAGE) analysis of extracts from A431 cell lysate. Using Carbonic anhydrase 2 Rabbit mAb [a8JC]at dilution of 1:1000 incubated at ${}^{\circ}$ C over night.

View more information on http://naturebios.com