# Prion Protein Rabbit mAb [9dZH]

Cat NO. :A82922

## Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB IHC ICC/IF FC	Human,Mouse,R	P04156	28kDa	Rabbit	IgG	50ul,100ul,200ul
	at					

## **Applications detail:**

Application	Dilution			
₩В	1:1000-2000			
нс	1:100			
ICC/IF	1:100			
The optimal dilutions should be determined by the end user				

# Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

**Purification**:

Affinity-chromatography

#### Specificity:

Antibody is produced by immunizing animals with A synthesized peptide derived from human Prion Protein

### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

**Tissue specificity:** 

#### Subcellular location:

Cell membrane, Lipid-anchor, GPI-anchor. Golgi apparatus.

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/ Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse

For Research Use Only. Not For Use In Diagnostic Procedures.

Its primary physiological function is unclear. May play a role in neuronal development and synaptic plasticity. May be required for neuronal myelin sheath maintenance. May promote myelin homeostasis through acting as an agonist for ADGRG6 receptor. May play a role in iron uptake and iron homeostasis. Soluble oligomers are toxic to cultured neuroblastoma cells and induce apoptosis (in vitro) (By similarity). Association with GPC1 (via its heparan sulfate chains) targets PRNP to lipid rafts. Also provides Cu(2+) or Zn(2+) for the ascorbate-mediated GPC1 deaminase degradation of its heparan sulfate side chains (By similarity).

# Validation Data:

## Prion Protein Rabbit mAb [9dZH] Images



Western blot (SDS PAGE) analysis of extracts from Hunam fetal brain lysate.Using Prion Protein Rabbit mAb [9dZH]at dilution of 1:1000 incubated at  $4^{\circ}$ C over night.

View more information on http://naturebios.com

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 1% w/v Milk, 1X TBST at 4°C overnight.