

# Alpha actinin 2 Rabbit mAb [zbgG]

Cat NO. :A84023

#### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB IHC IP	Mouse, Rat,	P35609	103kDa	Rabbit	IgG	50ul,100ul,200ul
	Human					

Applications detail:

Application

WB

1:1000-2000

IHC

1:100

The optimal dilutions should be determined by the end user

Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Affinity-chromatography

## Specificity:

Antibody is produced by immunizing animals with A synthesized peptide derived from human Alpha actinin 2

### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

#### Tissue specificity:

Expressed in both skeletal and cardiac muscle.

### Subcellular location:

Cytoplasm, myofibril, sarcomere, Z line.

Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



F-actin cross-linking protein which is thought to anchor actin to a variety of intracellular structures. This is a bundling protein.

### **Validation Data:**

### Alpha actinin 2 Rabbit mAb [zbgG] Images



Western blot (SDS PAGE) analysis of extracts from human skeletal muscle lysate. Using Alpha actinin 2 Rabbit mAb [zbgG]at dilution of 1:1000 incubated at  $4^{\circ}$ C over night.

View more information on http://naturebios.com