

# Glycerol kinase Rabbit mAb [9ZZ5]

Cat NO. :A15119

#### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB	н	P32189	57 kDa	Rabbit	IgG	100ul,200ul

Applications detail:

Application

WB

1:1000-2000

The optimal dilutions should be determined by the end user

Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

**Purification**:

Protein A purification

### Specificity:

Antibody is produced by immunizing animals with a synthetic peptide at the sequence of human Glycerol kinase

#### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

 $\label{products} \textbf{Products are valid for one natural year of receipt.} \textbf{Avoid repeated freeze} \ \textit{I} \ \textbf{thaw cycles}.$ 

### Tissue specificity:

Highly expressed in the liver, kidney and testis. Isoform 2 and isoform 3 are expressed specifically in testis and fetal liver, but not in the adult liver.

## Subcellular location:

Mitochondrion outer membrane, Peripheral membrane protein, Cytoplasmic side. Cytoplasm.

#### Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Key enzyme in the regulation of glycerol uptake and metabolism.

# **Validation Data:**

## Glycerol kinase Rabbit mAb [9ZZ5] Images



Western blot (SDS PAGE) analysis of extracts from Mouse adipose .Using Glycerol kinaseRabbit mAb [9ZZ5] at dilution of 1:1000 incubated at  $4\,^{\circ}\mathrm{C}$  over night.

View more information on http://naturebios.com