# CD90 / Thy1 Rabbit mAb [L79K]

Cat NO. :A16429

### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,IHC	н	P04216	25-35 kDa	Rabbit	lgG	100ul,200ul

### **Applications detail:**

Application	Dilution		
WB	1:1000-2000		
IHC	1:100		
he optimal dilutions should be determined by the end user			

### Conjugate:

UnConjugate

Form:

Liquid

#### sensitivity:

Endogenous

## **Purification**:

Protein A purification

### Specificity:

Antibody is produced by immunizing animals with a synthetic peptide at the sequence of human CD90 / Thy1

#### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

Tissue specificity:

## Subcellular location:

Cell membrane, Lipid-anchor, GPI-anchor.

#### **Function**:

May play a role in cell-cell or cell-ligand interactions during synaptogenesis and other events in the brain.


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/ Immunofluorescence F: Flow Cvtometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse

For Research Use Only. Not For Use In Diagnostic Procedures.

# Validation Data:

# CD90 / Thy1 Rabbit mAb [L79K] Images



Western blot ( SDS PAGE ) analysis of extracts from Human glioma.Using CD90 / Thy1Rabbit mAb [L79K] at dilution of 1:1000 incubated at 4  $^\circ\!C$  over night.

View more information on http://naturebios.com

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 1% w/v Milk, 1X TBST at 4°C overnight.