# RPLP0 Mouse mAb[UT28]

Cat NO. :A19016

### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB	H,M,R	P05388	34kDa	Mouse	lgG	50ul 100ul,200ul

#### **Applications detail:**

Application	Dilution
WB	1:1000-2000
The optimal dilutions should be d	letermined by the end user

#### Conjugate:

UnConjugate

Form:

Liquid

#### sensitivity:

Endogenous

# **Purification**:

Protein A purification

#### Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of human RPLP0.

#### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol  $\ (buffer) \ .$ 

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

Tissue specificity:

#### Subcellular location:

Nucleus. Cytoplasm.

### **Function**:

Ribosomal protein P0 is the functional equivalent of E.coli protein L10.


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/ Immunofluorescence F: Flow Cvtometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse

For Research Use Only. Not For Use In Diagnostic Procedures.

# Validation Data:

# RPLP0 Mouse mAb[UT28] Images



Western blot (SDS PAGE) analysis of extracts from HeLa cells.Using RPLP0 Mouse mAb IgG [UT28] at dilution of 1:1000 incubated at  $4^{\circ}$  over night.

View more information on http://naturebios.com

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 1% w/v Milk, 1X TBST at 4°C overnight.

For Research Use Only. Not For Use In Diagnostic Procedures.