

# Cardiac Troponin I Rabbit mAb [31FY]

Cat NO. :A37720

### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,IHC	н	P19429	28 kDa	Rabbit	IgG	50ul,100ul,200ul

Applications detail:

Application

WB

1:1000-2000

IHC

The optimal dilutions should be determined by the end user

			gate:			
1 · ^	nıı	-	to.			
-		. 9 4				

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Protein A purification

### Specificity:

Antibody is produced by immunizing animals with a synthetic peptide at the sequence of human Cardiac Troponin I

### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

 $\label{products} \textbf{Products are valid for one natural year of receipt.} \textbf{Avoid repeated freeze} \ \textit{I} \ \textbf{thaw cycles}.$ 

## Tissue specificity:

## Subcellular location:

### Function:

Troponin I is the inhibitory subunit of troponin, the thin filament regulatory complex which confers calciumsensitivity to striated muscle actomyosin ATPase activity.


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



## **Validation Data:**

## Cardiac Troponin I Rabbit mAb [31FY] Images



Western blot ( SDS PAGE ) analysis of extracts from Human fetal heart. Using Cardiac Troponin IRabbit mAb [31FY] at dilution of 1:1000 incubated at  $4^{\circ}$ C over

View more information on http://naturebios.com

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 1% w/v Milk, 1X TBST at 4°C overnight.