# DEFA1 Mouse mAb[O83O]

Cat NO. :A48958

## Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,IHC	н	P59665	10kda	Mouse	lgG	100ul,200ul

## **Applications detail:**

Application	Dilution
WB	1:1000-2000
IHC	1:100
The optimal dilutions should b	e determined by the end user

## Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

## **Purification**:

Protein A purification

## Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of human DEFA1.

#### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

**Tissue specificity:** 

## Subcellular location:

Secreted.

## **Function**:

Defensin 1 and defensin 2 have antibacterial, fungicide and antiviral activities. Has antimicrobial activity against Gram-negative and Gram-positive bacteria. Defensins are thought to kill microbes by permeabilizing their plasma membrane..


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/ Immunofluorescence F: Flow Cvtometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse

For Research Use Only. Not For Use In Diagnostic Procedures.

# Validation Data:

## DEFA1 Mouse mAb[O83O] Images



Western blot (SDS PAGE) analysis of extracts from Human peripheral blood leukocyte cells.Using DEFA1 Mouse mAb IgG [O830] at dilution of 1:1000 incubated at

View more information on http://naturebios.com

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 1% w/v Milk, 1X TBST at 4°C overnight.

For Research Use Only. Not For Use In Diagnostic Procedures.