

Angiotensin Converting Enzyme 1 Rabbit mAb [W6Q4]

Cat NO. :A55559

Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,IHC	н	P12821	195 kDa	Rabbit	IgG	100ul,200ul

Applications detail:	Application	Dilution
	wв	1:1000-2000
	ІНС	1:100
	The optimal dilutions should be d	etermined by the end user

	gate:			
$^{\prime}$	 +			

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Protein A purification

Specificity:

Antibody is produced by immunizing animals with a synthetic peptide at the sequence of human Angiotensin Converting Enzyme 1

Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

Tissue specificity:

Ubiquitously expressed, with highest levels in lung, kidney, heart, gastrointestinal system and prostate. Isoform Testis-specific is expressed in spermatocytes and adult testis..

Subcellular location:

[Angiotensin-converting enzyme, soluble form]: Secreted.,Cell membrane,Single-pass type I membrane protein. Cytoplasm.

Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Converts angiotensin I to angiotensin II by release of the terminal His-Leu, this results in an increase of the vasoconstrictor activity of angiotensin. Also able to inactivate bradykinin, a potent vasodilator. Has also a glycosidase activity which releases GPI-anchored proteins from the membrane by cleaving the mannose linkage in the GPI moiety.

Validation Data:

Angiotensin Converting Enzyme 1 Rabbit mAb [W6Q4] Images



Western blot (SDS PAGE) analysis of extracts from human fetal heart. Using Angiotensin Converting Enzyme 1Rabbit mAb [W6Q4] at dilution of 1:1000 incubated at

View more information on http://naturebios.com