

# CHRNA4 Rabbit mAb [3398]

Cat NO. :A56719

#### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB	H,M,R	P43681	70 kDa	Rabbit	IgG	50ul,100ul,200ul

Applications detail:

Application

WB

1:1000-2000

The optimal dilutions should be determined by the end user

Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Protein A purification

Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of Human CHRNA4.

#### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

## Tissue specificity:

### Subcellular location:

Cell junction, synapse, postsynaptic cell membrane, Multi-pass membrane protein. Cell membrane, Multi-pass membrane protein. Cell membrane, Lipid-anchor.

### Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



After binding acetylcholine, the AChR responds by an extensive change in conformation that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane permeable to sodium ions..

# **Validation Data:**

## CHRNA4 Rabbit mAb [3398] Images



Western blot (SDS PAGE) analysis of extracts from SH-SY5Y cells lyastes.using CHRNA4 Rabbit mAb [3398] at dilution of 1:1000 incubated at  $4^{\circ}\mathrm{C}$  over night

View more information on http://naturebios.com