

ARID3A Rabbit mAb [Z76H]

Cat NO. :A59117

Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,IHC,ICC/IF	н	Q99856	63 kDa	Rabbit	IgG	100ul,200ul

Applications detail:

Application

WB 1:1000-2000

IHC 1:100,
ICC/IF 1:100,
The optimal dilutions should be determined by the end user

Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Protein A purification

Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of Human ARID3A.

Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

 $\label{products} \textbf{Products are valid for one natural year of receipt.} \textbf{Avoid repeated freeze} \ \textit{I} \ \textbf{thaw cycles}.$

Tissue specificity:

Widely expressed, with highest expression in skeletal muscle, thalamus, and colon.

Subcellular location:

Nucleus. Cytoplasm.

Function:

Transcription factor which may be involved in the control of cell cycle progression by the RB1/E2F1 pathway and in B-cell differentiation..


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Validation Data:

ARID3A Rabbit mAb [Z76H] Images



Western blot (SDS PAGE) analysis of extracts from Human colon tissue lyaste.using ARID3A Rabbit mAb [Z76H] at dilution of 1:1000 incubated at 4° C over night

View more information on http://naturebios.com