

# CD134 / OX40L receptor Rabbit mAb [0Y4Q]

Cat NO. :A68495

#### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,IHC	н	P43489	50 kDa	Rabbit	IgG	100ul,200ul

Applications detail:

Application

WB

1:1000-2000

IHC

The optimal dilutions should be determined by the end user

$\sim$		•	gate:		
1.0	n		Oto		
$\sim$	<i>)</i>	uu	ıaıc	-	

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

**Purification**:

Protein A purification

### Specificity:

Antibody is produced by immunizing animals with a synthetic peptide at the sequence of human CD134 / OX40L receptor

## Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

## Tissue specificity:

## **Subcellular location:**

Membrane, Single-pass type I membrane protein.

Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Receptor for TNFSF4/OX40L/GP34. Is a costimulatory molecule implicated in long-term T-cell immunity.., (Microbial infection) Acts as a receptor for human herpesvirus 6B/HHV-6B..

## **Validation Data:**

CD134 / OX40L receptor Rabbit mAb [0Y4Q] Images



Western blot (SDS PAGE) analysis of extracts from Human PBMC treated with 10  $\mu$ g/ml PHA for 2 days.Using CD134 / OX40L receptorRabbit mAb [0Y4Q] at dilution of

View more information on http://naturebios.com