

# MYH2-specific Mouse mAb[HGWS]

Cat NO. :A77133

### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,IHC	н	Q9UKX2	200kDa	Mouse	IgG	50ul 100ul,200ul

Applications detail:

Application

WB

1:1000-2000

IHC

The optimal dilutions should be determined by the end user

$\sim$		•	•	
1.0	m		Oto	
$\mathbf{c}$	/I II	ıuu	ate	-

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

**Purification**:

Protein A purification

Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of human MYH2-specific.

### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

## Tissue specificity:

## Subcellular location:

Cytoplasm, myofibril.

### Function:

Muscle contraction. Required for cytoskeleton organization (By similarity)...


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



# **Validation Data:**

# MYH2-specific Mouse mAb[HGWS] Images



Western blot (SDS PAGE) analysis of extracts from human skeletal muscle tissue.Using MYH2-specific Mouse mAb IgG [HGWS] at dilution of 1:1000 incubated

View more information on http://naturebios.com

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 1% w/v Milk, 1X TBST at 4°C overnight.